

Fast2Test

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

We're not the only ones **happy** about Fast2test Practice Materials ...

62316+ customers in 100+ countries use Fast2test Self Test Engine. Meet our customers.

<https://tw.fast2test.com>

高效的考試材料是最高通過率的考試題庫

Exam : **70-745**

Title : **Implementing a Software-Defined Datacenter**

Vendor : **Microsoft**

Version : **DEMO**

NO.1 You need to deploy the VMs for the human resources and finance departments. What should you create?

- A. VMs for Dal-Cluster1 from an existing virtual hard disk
- B. VMs for Dal-Ouster1 from a blank virtual hard disk
- C. VMs for Bos-Ouster1 from a blank virtual hard disk
- D. VMs for Bos-Cluster1 from an existing virtual hard disk

Answer: A

NO.2 A customer tenant provides a VHD file for hosting in your Microsoft System Center Virtual Machine Manager (SCVMM) fabric. You create a virtual machine (VM) named VM1 using the VMD file and deploy the VM to the tenant's VM network.

You need to ensure that the tenant can create new VMs based on VM1.

What should you do? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area

Actions	Required?
Shut down VM1.	True False
Set VM1 to a saved state.	True False
Move VM1 to an SCVMM library.	True False
Delete VM1 after it is cloned.	True False
Run sysprep.exe on VM1.	True False

Answer:

Answer Area

Actions	Required?
Shut down VM1.	True False
Set VM1 to a saved state.	True False
Move VM1 to an SCVMM library.	True False
Delete VM1 after it is cloned.	True False
Run sysprep.exe on VM1.	True False

Explanation

Answer Area

Actions	Required?
Shut down VM1.	True
Set VM1 to a saved state.	True
Move VM1 to an SCVMM library.	True
Delete VM1 after it is cloned.	False
Run sysprep.exe on VM1.	True

NO.3 You manage virtual machine (VM) workloads in an environment that includes the following objects:

- *IP address pool
- *a software load balancer (SLB) object
- *an SLB rule
- *a public VIP address

You monitor network traffic logs and observe that a VM does not service requests for the VIP address.

You need to configure the virtual network so that traffic is not sent to a VM that is unavailable. What should you do?

- A.** Add support for HTTP keep-alive. Change the SLB configuration to Enable keep-alive. Redeploy the SLB rule.
- B.** Add a health probe. Change the SLB configuration to use the health probe. Redeploy the SLB rule.
- C.** Change the VM IP addresses to public IP addresses. Redeploy the SLB rule.
- D.** Change the protocol for the SLB rule to UDP. Redeploy the SLB rule.

Answer: B

NO.4 Microsoft Hyper-V host has a network interface card (NIC) named NIC1 that supports Remote Direct Memory Access (RDMA). You plan to install a second NIC at a later date.

The Hyper-V host must have a virtual switch named vSwitch1. Switch Embedded Teaming (SET) must be enabled on the NIC.

You need to ensure that you can use the same virtual switch when you add the second NIC.

How should you complete the Windows PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

	<code>-Name vSwitch1 -NetAdapterName "NIC1"</code>
<div style="border: 1px solid black; padding: 2px;"> <ul style="list-style-type: none"> New-VMSwitch Set-VMSwitch Enable-VMSwitchExtension Set-VMSwitchExtensionSwitchFeature </div>	
	<code>\$true</code>
<div style="border: 1px solid black; padding: 2px;"> <ul style="list-style-type: none"> -VMSwitchExtensionFeature -EnableEmbeddedTeaming -EnableIov -EnablePacketDirect </div>	

Answer:

Answer Area

	▼	<code>-Name vSwitch1 -NetAdapterName "NIC1"</code>
New-VMSwitch		
Set-VMSwitch		
Enable-VMSwitchExtension		
Set-VMSwitchExtensionSwitchFeature		

	▼	<code>\$true</code>
-VMSwitchExtensionFeature		
-EnableEmbeddedTeaming		
-EnableIov		
-EnablePacketDirect		

Explanation

Answer Area

	▼	<code>-Name vSwitch1 -NetAdapterName "NIC1"</code>
New-VMSwitch		
Set-VMSwitch		
Enable-VMSwitchExtension		
Set-VMSwitchExtensionSwitchFeature		

	▼	<code>\$true</code>
-VMSwitchExtensionFeature		
-EnableEmbeddedTeaming		
-EnableIov		
-EnablePacketDirect		

References:

<https://docs.microsoft.com/en-us/powershell/module/hyper-v/new-vmswitch?view=win10-ps>

NO.5 You need to ensure that you can deploy the Hyper-V host servers.

How should you complete the Windows PowerShell commands? To answer, drag the appropriate Windows PowerShell segments to the correct locations. Each Windows PowerShell segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

<p>PowerShell segments</p> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Install-PackageProvider</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Import-PackageProvider</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Install-NanoServerPackage</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Get-NanoServerPackage</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Import-Module</div>	<p>Answer Area</p> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">PowerShell segment</div> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">PowerShell segment</div> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">PowerShell segment</div> <p style="margin-left: 40px;">-Name NanoServerPackage</p> <p style="margin-left: 40px;">-Name NanoServerPackage</p> <p style="margin-left: 40px;">-Name Microsoft-NanoServer-SCVMM-Package</p> <p style="margin-left: 40px;">-Culture en-US -ToVhd "F:\HyperVNano.vhd"</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Answer:

<p>PowerShell segments</p> <div style="border: 1px dashed green; padding: 2px; margin-bottom: 2px;">Install-PackageProvider</div> <div style="border: 1px dashed green; padding: 2px; margin-bottom: 2px;">Import-PackageProvider</div> <div style="border: 1px dashed green; padding: 2px; margin-bottom: 2px;">Install-NanoServerPackage</div> <div style="border: 1px dashed green; padding: 2px; margin-bottom: 2px;">Get-NanoServerPackage</div> <div style="border: 1px dashed green; padding: 2px; margin-bottom: 2px;">Import-Module</div>	<p>Answer Area</p> <div style="border: 1px dashed red; padding: 2px; margin-bottom: 2px;">Install-PackageProvider</div> <div style="border: 1px dashed red; padding: 2px; margin-bottom: 2px;">Import-PackageProvider</div> <div style="border: 1px dashed red; padding: 2px; margin-bottom: 2px;">Install-NanoServerPackage</div> <p style="margin-left: 40px;">-Name NanoServerPackage</p> <p style="margin-left: 40px;">-Name NanoServerPackage</p> <p style="margin-left: 40px;">-Name Microsoft-NanoServer-SCVMM-Package</p> <p style="margin-left: 40px;">-Culture en-US -ToVhd "F:\HyperVNano.vhd"</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Explanation

Install-PackageProvider	-Name NanoServerPackage
Import-PackageProvider	-Name NanoServerPackage
Install-NanoServerPackage	-Name Microsoft-NanoServer-SCVMM-Package
-Culture en-US -ToVhd "F:\HyperVNano.vhd"	

NO.6 Your company has two datacenters. You have Windows servers in both locations. The network that connects the datacenters has high bandwidth and low latency.

You are designing a new virtual machine (VM) and storage environment based on servers that run Windows Server 2016. You need to implement a solution that meets the following storage requirements:

Tolerates the failure of a single datacenter.

Ensures zero data loss in the event of a file system failure.

Solution: You implement Distributed File System Replication.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

NO.7 You need to deploy the production SCVMM instance.

Which values should you supply for each installation option? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Option	Value				
SCVMM installation location	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Atl-Server1</td></tr> <tr><td>Atl-Server2</td></tr> <tr><td>Tor-Server1</td></tr> <tr><td>Tor-Server2</td></tr> </table> </div>	Atl-Server1	Atl-Server2	Tor-Server1	Tor-Server2
Atl-Server1					
Atl-Server2					
Tor-Server1					
Tor-Server2					
Type of account needed	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Domain user account that is not a local administrator on the server</td></tr> <tr><td>Domain user account that is a local administrator on the server</td></tr> <tr><td>Local system account</td></tr> <tr><td>Local administrator account</td></tr> </table> </div>	Domain user account that is not a local administrator on the server	Domain user account that is a local administrator on the server	Local system account	Local administrator account
Domain user account that is not a local administrator on the server					
Domain user account that is a local administrator on the server					
Local system account					
Local administrator account					

Answer:

Option	Value				
SCVMM installation location	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Atl-Server1</td></tr> <tr><td>Atl-Server2</td></tr> <tr style="border: 2px dashed green;"><td>Tor-Server1</td></tr> <tr><td>Tor-Server2</td></tr> </table> </div>	Atl-Server1	Atl-Server2	Tor-Server1	Tor-Server2
Atl-Server1					
Atl-Server2					
Tor-Server1					
Tor-Server2					
Type of account needed	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Domain user account that is not a local administrator on the server</td></tr> <tr style="border: 2px dashed green;"><td>Domain user account that is a local administrator on the server</td></tr> <tr><td>Local system account</td></tr> <tr><td>Local administrator account</td></tr> </table> </div>	Domain user account that is not a local administrator on the server	Domain user account that is a local administrator on the server	Local system account	Local administrator account
Domain user account that is not a local administrator on the server					
Domain user account that is a local administrator on the server					
Local system account					
Local administrator account					

Explanation

Option	Value				
SCVMM installation location	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Atl-Server1</td></tr> <tr><td>Atl-Server2</td></tr> <tr style="background-color: #cccccc;"><td>Tor-Server1</td></tr> <tr><td>Tor-Server2</td></tr> </table> </div>	Atl-Server1	Atl-Server2	Tor-Server1	Tor-Server2
Atl-Server1					
Atl-Server2					
Tor-Server1					
Tor-Server2					
Type of account needed	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Domain user account that is not a local administrator on the server</td></tr> <tr style="background-color: #cccccc;"><td>Domain user account that is a local administrator on the server</td></tr> <tr><td>Local system account</td></tr> <tr><td>Local administrator account</td></tr> </table> </div>	Domain user account that is not a local administrator on the server	Domain user account that is a local administrator on the server	Local system account	Local administrator account
Domain user account that is not a local administrator on the server					
Domain user account that is a local administrator on the server					
Local system account					
Local administrator account					

References:

<https://docs.microsoft.com/en-us/system-center/vmm/plan-install?view=sc-vmm-1801#account->

and-domainrequ

NO.8 You need to configure an SDN network controller for the SCVMM test environment. What should you do first?

- A. In AD DS, create a security group and add Det-Server3, Det-Server4, and Det-Server5.
- B. In SCVMM, create a dedicated host group for Det-Server6, Det-Server7, and Det-Server8.
- C. In AD DS, create a security group and add Det-Server6, Det-Server7, and Det-Server8.
- D. In SCVMM, create a dedicated host group for Det-Server3, Det-Server4, and Det-Server5.

Answer: B

Explanation

References:

<https://docs.microsoft.com/en-us/system-center/vmm/sdn-controller?view=sc-vmm-1801>

NO.9 You need to configure the network settings for the SLB in the test environment. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a private VIP and IP address pool that uses the IP range 10.40.90.2 - 10.40.90.254. Create a public VIP and IP address pool that uses the IP range 10.40.20.2 - 10.40.20.254.
- B. Create a logical network that uses the One connected network option.
- C. Create a logical network that uses the Private VLAN networks option.
- D. Create a private VIP and IP address pool that uses the IP range 10.10.90.2 - 10.10.90.254. Create a public VIP and IP address pool that uses the IP range 10.10.20.2 - 10.10.20.254.

Answer: A,C

NO.10 You manage a System Center Virtual Machine Manager (SCVMM) environment. You plan to create virtual machine (VM) networks and IP address pools.

You need to ensure that VM networks are segmented.

Solution: You create Windows Firewall rules on the VMs.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation

The type of VM network you set up depends on the isolation settings for the logical network:

Network virtualization: If the logical network is isolated using network virtualization you can create multiple VM networks for a logical network. Within a VM network tenants can use any IP addresses they want for their VMs regardless of the IP addresses used on other VM networks. Tenants can also configure some network settings.

VLAN: If the logical network is isolated using VLAN or PVLAN you'll create on VM network for each network site and VLAN in the logical network.

No isolation: If the logical network is configured without isolation you'll create a single VM network linked to a logical network.

References:

<https://docs.microsoft.com/en-us/system-center/vmm/network-virtual?view=sc-vmm-1807#create-a-vm-network>

