

Fast2Test

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

We're not the only ones **happy** about Fast2test Practice Materials ...

62316+ customers in 100+ countries use Fast2test Self Test Engine. Meet our customers.

<https://tw.fast2test.com>

高效的考試材料是最高通過率的考試題庫

Exam : **7593X**

Title : Avaya Pod Fx Integration
Exam

Vendor : Avaya

Version : DEMO

NO.1 When a Layer-2 only networking topology is deployed, what is the behavior of the Pod?

- A. It will support only a single management VLAN.
- B. It will extend VLANs out to the Data Center routers which will provide Layer 3 routing.
- C. It will support only a single application VLAN.
- D. It will have 802.1Q tagging enabled on all ports of the VSP switches.

Answer: B

NO.2 When powering up the virtual machines, what is the first virtual machine that needs to be powered on?

- A. vCenter Server
- B. Communication Manager
- C. System manager
- D. WebLm

Answer: D

NO.3 Which two are valid levels of VMware performance monitoring? (Choose two.)

- A. Data Center (DC)
- B. Host
- C. Virtual Machine (VM)
- D. Visualization Performance and Fault Manager (VPFM)

Answer: B,C

NO.4 Which two statements regarding adding a new Pod dashboard to Visualization Performance and Fault Management (VPFM) are true? (Choose two.)

- A. The position of elements in Pod dashboards can be customized.
- B. Pod dashboard display dial gauge graphical elements only.
- C. Pod dashboards are built using dashlets.
- D. Pod dashboards are available in fixed, pre-configured templates.

Answer: A,C

NO.5 Which task is optional when installing Pod Fx from a delivery frame?

- A. Remove all components from the delivery frame by starting at the top of the delivery frame and working downwards.
- B. Take a picture of the components and the cabling in the delivery frame as a reference for re-cabling tasks in the customer enclosure.
- C. Remove the front lid and back lid of the delivery frame ensuring the lid is kept straight to avoid damaging the cabling within the delivery frame.
- D. Clear a path between the loading dock and the permanent location of the customer- provided enclosure.

Answer: C

NO.6



Refer to the exhibit.

Why is the usage measurement of CPU2 (in Purple) shown in the chart highlighted in the table?

- A. because the CPU2 has been selected in the table under the chart
- B. because the CPU2's usage closest to the average usage of all the CPUs
- C. because the CPU2 has been highlighted with an active alarm
- D. because the CPU2 has been nominated as the primary CPU in this Virtual Machine

Answer: A