

Fast2Test

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

We're not the only ones **happy** about Fast2test Practice Materials ...

62316+ customers in 100+ countries use Fast2test Self Test Engine. Meet our customers.

<https://tw.fast2test.com>

高效的考試材料是最高通過率的考試題庫

Exam : C2140-137

Title : Advanced Rational Application Developer v7

Vendors : IBM

Version : DEMO

NO.1 During the development process, a programmer selects an EJB project containing entity beans and

selects Prepare For Deployment. Which action does this operation perform?

- A. updates the deployment descriptor with a reference to the EJB JAR
- B. generates the helper classes to map entity beans to the database
- C. generates the EJB JAR file and includes it in the associated enterprise application project
- D. guides the user through a wizard interface to determine the mapping between the fields in the entity bean and their associated database fields

Answer: B

NO.2 What is best practice when designing a data-intensive EJB application?

- A. set the values of Entity EJBs by passing them a Data Transfer object containing the necessary data
- B. provide major Entity EJBs with a remote interface and relate other Entity EJBs to them via Container Managed Relations (CMR)
- C. provide all Entity EJBs with a local interface only and perform all remote access through Session EJBs
- D. encapsulate frequently accessed read-only data in an Entity EJB for efficient caching

Answer: C

NO.3 In JSP, custom tag libraries can be used to _____.

- A. enable better searching in a Web application
- B. package tag extensions for JSP
- C. package JSPs for exporting to other projects
- D. package tag extensions for JSF

Answer: B

NO.4 The embedded Apache Derby database makes development easier. However, it has one severe

limitation that prevents its use in production environments. What is this limitation?

- A. Connection pooling is disallowed and results in degraded performance.
- B. It provides a reduced data type set without the ability to define BLOB (Binary Large Object) or CLOB (Character Large Object) columns types.
- C. It provides only English language support.
- D. It allows only one application to access the database to create a connection.

E. The use of the JDBC drivers is proprietary and requires a for purchase license.

Answer: D

NO.5 A developer is building an application where the home page will have links displayed for administrators, which will not be available for regular users of the application. Otherwise, the home page is identical for

administrators and regular users. A J2EE role-based security pattern is being implemented with one role

for users and one role for staff. What is the BEST way to display different versions of the home page?

A. You map the two roles to different JSPs for the home page, where one includes the extra links (for

administrators) and the other does not (for users).

B. It is not possible to display different versions of the same page for users who have different roles.

C. You apply declarative security to the body of the JSP where the links that are only available to the

administrators are declared to be accessible only to that role.

D. You implement the links using a J2EE custom library, which contains a call to `isUserInRole()` on the

`HttpServletRequest` to see if the link should be displayed or not.

Answer: D